

slim-Q electric plus






Slim-Q electric plus

Ref.	A mm	B mm	Elem. n.	White & Colors	Chrome & Galvanics	Weight kg
				Power W	Power W	
SQD4081050N	868	528	11	300		10
SQD4130050N	1358	528	18	500	300	16
SQD4172050N	1778	528	24	750	500	20


WALL FASTENING SYSTEMS

Fissaggi a parete
Systèmes d'installation murale
Sistemas de fijación a la pared



RADIATOR BODY DIMENSIONS

Dimensioni corpo
Dimensions du corps chauffant
Dimensiones del cuerpo calefactor



CHRONOTHERMOSTAT WITH BLUETOOTH MANAGEMENT FROM SMARTPHONE

Cronotermostato Bluetooth da smartphone con spina
Chronothermostat avec gestion Bluetooth par smartphone
Cronotermostato con control Bluetooth desde smartphone






Class I
IP44



App: Deltacolor Electric+

A = altezza; B = larghezza
A = height; B = width
A = hauteur; B = largeur
A = altura; B = ancho

[mm]




TECHNICAL NOTES

Alimentazione 230V - 50Hz
230V - 50Hz power supply
Alimentation 230V - 50Hz
Alimentación 230V - 50Hz

Cronotermostato con tasto "ON/OFF" senza cavo ma con coprifilo
Chronothermostat with "ON/OFF" button without cable but with cover
Chronothermostat avec bouton "ON/OFF" sans câble mais avec couvercle
Cronotermostato con botón "ON/OFF" sin cable pero con tapa



White
Standard
Deltacolor white



Chrome

Pastels

Coarse or Matt


9016

Traffic white



1013

Oyster white



1019

Grey beige




7006

Beige grey




7030

Stone grey



7047

Telegrey 4



7040

Window grey



7043

Traffic grey B



9005

Jet black




Specials

Coarse



7048

Pearl mouse grey



2

Quartz sand



6

Quartz gray

by
Andrea Castiglione



10

Army



11

Petrol



12

Laguna



13

Balena



14

Rouille

Plate Lux

(Inox Steel Cover)

Flowered



Gold mirror



Black mirror



Copper mirror



Galvanics

Glossy or Matt



British Gold



Bronze Copper



Astana Brass

colors

Non considerare i colori perfettamente fedeli per limiti di stampa e illuminazione.

Do not consider colors as exactly trustable because of printing and light limits.

Ne pas considérer les couleurs comme exactement correspondants suite à limites de imprimerie et de lumière.

No tenir en consideracion los colores como perfectamente igual para limitaciones de imprenta y de luz.



DELTACALOR

Company profile

Quality made in Italy

The company was founded in the mid-nineties with a traditional handicraft steel towel rail production. In 2002 the company was transformed into a real industrial reality, following the acquisition of an important group in view of the plumbing and heating sector led by CEO Giovanni Pastorino who decides to revive the company renewing its product range with new ranges of hydraulic, mixed and electrical steel towel warmers and radiators with exclusive technology and design. Deltacalor is strongly characterized by a 360° approach that incorporates technology, practicality and aesthetics. The constant Research and Development on materials, shapes, finishes and processes leads the company to the launch of major patented products, tangible evidence of real and concrete innovations.

Not only the heating elements, but also expression of an innate attitude in the search of the best way to provide comfort and well-being at the service of man. High functionality, energy saving, easy installation, high quality are, in fact, the advantages of a production able to meet and anticipate the needs of designers, architects, installers and end users.





DELTACALOR

Company profile

Production takes place in Italy

Production takes place in Italy, in the state of the art plant of Calolziocorte (LC), on a surface of approximately 10,000 sqm. We use the most innovative and advanced production methods: from welding to painting, to a well established quality control system based on the highest market standards. Production know-how is one of Deltacalor strengths: the company can produce a high number of parts using highly automated systems, but is also capable of meeting the different degrees of customisations that the market requires. All this, with the utmost attention to process control, ensured by a team of experienced professionals.

Deltacalor takes advantage of a young and dynamic workforce of 50 employees, capable of meeting all the needs of our customers, and ready to take on the challenges of the market. This is the winning combination of the company that always ensures precise and timely service.

