hegoline I 3
vertical

hegoline l 3

vertical

hegoline 13
horizontal



hegoline l 3
horizontal

Hegoline13 vertical

single and double

Single

WALL FASTENING SYSTEMS
Fissaggi a parete
Systèmes d'installation murale
Sistemas de fijación a la pared



RADIATOR BODY DIMENSIONS
Dimensioni corpo
Dimensions du corps chauffant
Dimensiones del cuerpo calefactor



A = altezza; B = larghezza; C = interasse
A = height; B = width; C = interaxis
A = hauteur; B = largeur; C = entraxe
A = altura; B = ancho; C = entre ejes

[mm]



Double

WALL FASTENING SYSTEMS
Fissaggi a parete
Systèmes d'installation murale
Sistemas de fijación a la pared



RADIATOR BODY DIMENSIONS
Dimensioni corpo
Dimensions du corps chauffant
Dimensiones del cuerpo calefactor



A = altezza; B = larghezza; C = interasse
A = height; B = width; C = interaxis
A = hauteur; B = largeur; C = entraxe
A = altura; B = ancho; C = entre ejes

[mm]



STANDARD CONFIGURATIONS, WITHOUT SURCHARGE
Configurazioni allacciamenti inclusi
Configuration standard, sans supplement
Conexiones estándar, sin recargo



SPECIAL CONFIGURATIONS AVAILABLE UPON REQUEST AT THE ORDER, WITH SURCHARGE
Configurazioni allacciamenti con sovrapprezzo
Configurations spéciales disponibles à la demande à la commande, avec supplement
Versioni especiales disponibles a la pregunta de pedido, con recargo



Su richiesta all'ordine specificando la mandata (dx o sx) - Specify the input (right or left) - Spécifier la réntrée (droite ou gauche) - Especificar la entrada (derecha o izquierda)

TECHNICAL NOTES

Temperatura max di esercizio: 90 °C
Maximum operating temperature: 90 °C
Température maximum de fonctionnement: 90 °C
Temperatura máx de funcionamento: 90 °C

Pressione max di esercizio: 500 kPa
Maximum operating pressure: 500 kPa
Pression maximum de fonctionnement: 500 kPa
Presión máx de funcionamento: 500 kPa

CE

Per impianto monotubo consultare note tecniche di dettaglio a pag. 159
For single pipe installation, please consult technical notes page 161
Pour installation monotube consulter les renseignements techniques détaillés pag. 163
Para instalaciones monotubo consulte las informaciones técnicas detalladas pag. 165

Hegoline13 vertical

single

	Ref.	A mm	B mm	C mm	Elem. n.	White & Colors Δt = 50° W	White & Colors Δt = 30° W	Chrome & Galvanics Δt = 50° W	Chrome & Galvanics Δt = 30° W	Weight kg	Cap. lt	Esp. "n"
400 altezza height hauteur altura	HH131V040024	405	586	370	24	261	142	170	92	5,9	1,5	1,20
	HH131V040026	405	634	370	26	283	153	184	100	6,4	1,6	1,20
	HH131V040028	405	682	370	28	305	165	198	107	6,9	1,7	1,20
	HH131V040030	405	730	370	30	326	177	212	115	7,4	1,9	1,20
	HH131V040034	405	826	370	34	370	200	240	130	8,4	2,1	1,20
	HH131V040038	405	922	370	38	413	224	269	145	9,4	2,4	1,20
	HH131V040044	405	1066	370	44	478	259	311	168	10,9	2,7	1,20
	HH131V040050	405	1210	370	50	543	294	353	191	12,4	3,1	1,20
500 altezza height hauteur altura	HH131V050020	505	490	470	20	260	141	169	92	5,8	1,4	1,20
	HH131V050022	505	538	470	22	286	155	186	101	6,4	1,5	1,20
	HH131V050024	505	586	470	24	312	169	203	110	6,9	1,7	1,20
	HH131V050026	505	634	470	26	338	183	220	119	7,5	1,8	1,20
	HH131V050028	505	682	470	28	364	197	237	128	8,1	2,0	1,20
	HH131V050030	505	730	470	30	390	211	254	137	8,7	2,1	1,20
	HH131V050034	505	826	470	34	442	239	287	156	9,8	2,4	1,20
	HH131V050038	505	922	470	38	494	268	321	174	11,0	2,7	1,20
	HH131V050044	505	1066	470	44	572	310	372	201	12,7	3,1	1,20
	HH131V050050	505	1210	470	50	650	352	422	229	14,5	3,5	1,20
600 altezza height hauteur altura	HH131V060018	605	442	570	18	273	148	177	96	6,0	1,4	1,20
	HH131V060020	605	490	570	20	303	164	197	107	6,6	1,6	1,20
	HH131V060022	605	538	570	22	333	180	216	117	7,3	1,7	1,20
	HH131V060024	605	586	570	24	363	197	236	128	8,0	1,9	1,20
	HH131V060026	605	634	570	26	393	213	256	139	8,6	2,0	1,20
	HH131V060028	605	682	570	28	424	229	275	149	9,3	2,2	1,20
	HH131V060030	605	730	570	30	454	246	295	160	10,0	2,3	1,20
	HH131V060034	605	826	570	34	514	279	334	181	11,3	2,7	1,20
	HH131V060038	605	922	570	38	575	311	373	202	12,6	3,0	1,20
	HH131V060044	605	1066	570	44	665	360	432	234	14,6	3,4	1,20
	HH131V060050	605	1210	570	50	756	409	491	266	16,6	3,9	1,20
800 altezza height hauteur altura	HH131V080014	805	346	770	14	272	147	177	96	5,8	1,3	1,20
	HH131V080016	805	394	770	16	310	168	202	109	6,7	1,5	1,20
	HH131V080018	805	442	770	18	349	189	227	123	7,5	1,7	1,20
	HH131V080020	805	490	770	20	388	210	252	137	8,3	1,9	1,20
	HH131V080022	805	538	770	22	427	231	277	150	9,2	2,1	1,20
	HH131V080024	805	586	770	24	465	252	302	164	10,0	2,2	1,20
	HH131V080026	805	634	770	26	504	273	328	177	10,8	2,4	1,20
	HH131V080028	805	682	770	28	543	294	353	191	11,7	2,6	1,20
	HH131V080030	805	730	770	30	581	315	378	205	12,5	2,8	1,20
	HH131V080034	805	826	770	34	659	357	428	232	14,2	3,2	1,20
	HH131V080038	805	922	770	38	736	399	478	259	15,8	3,6	1,20
	HH131V080044	805	1066	770	44	852	462	554	300	18,3	4,1	1,20
	HH131V080050	805	1210	770	50	968	524	629	341	20,9	4,7	1,20
1200 altezza height hauteur altura	HH131V120010	1205	250	1170	10	279	151	182	98	5,9	1,3	1,20
	HH131V120012	1205	298	1170	12	335	181	218	118	7,0	1,5	1,20
	HH131V120014	1205	346	1170	14	391	212	254	138	8,2	1,8	1,20
	HH131V120016	1205	394	1170	16	446	242	290	157	9,4	2,0	1,20
	HH131V120018	1205	442	1170	18	502	272	326	177	10,6	2,3	1,20
	HH131V120020	1205	490	1170	20	558	302	363	196	11,7	2,5	1,20
	HH131V120022	1205	538	1170	22	613	332	399	216	12,9	2,8	1,20
	HH131V120024	1205	586	1170	24	669	362	435	236	14,1	3,0	1,20
	HH131V120026	1205	634	1170	26	725	393	471	255	15,3	3,3	1,20
	HH131V120028	1205	682	1170	28	780	423	507	275	16,4	3,5	1,20
	HH131V120030	1205	730	1170	30	836	453	543	294	17,6	3,8	1,20
	HH131V120034	1205	826	1170	34	947	513	616	334	20,0	4,3	1,20
	HH131V120038	1205	922	1170	38	1059	574			22,3	4,8	1,20
	HH131V120044	1205	1066	1170	44	1226	664			25,8	5,5	1,20
	HH131V120050	1205	1210	1170	50	1393	755			29,4	6,3	1,20

Hegoline13 vertical

single

	Ref.	A mm	B mm	C mm	Elem. n.	White & Colors Δt = 50° W	White & Colors Δt = 30° W	Chrome & Galvanics Δt = 50° W	Chrome & Galvanics Δt = 30° W	Weight kg	Cap. lt	Esp. "n"
1500 altezza height hauteur altura	HH131V150007	1505	178	1470	7	240	130	161	87	5,0	1,0	1,20
	HH131V150010	1505	250	1470	10	343	186	223	121	7,1	1,5	1,20
	HH131V150012	1505	298	1470	12	411	223	267	145	8,6	1,8	1,20
	HH131V150014	1505	346	1470	14	480	260	312	169	10,0	2,1	1,20
	HH131V150016	1505	394	1470	16	548	297	356	193	11,4	2,4	1,20
	HH131V150018	1505	442	1470	18	617	334	401	217	12,9	2,7	1,20
	HH131V150020	1505	490	1470	20	685	371	445	241	14,3	3,0	1,20
	HH131V150022	1505	538	1470	22	754	408	490	265	15,7	3,3	1,20
	HH131V150024	1505	586	1470	24	822	445	534	289	17,1	3,6	1,20
	HH131V150026	1505	634	1470	26	890	482	579	314	18,6	3,9	1,20
	HH131V150028	1505	682	1470	28	959	519	623	338	20,0	4,2	1,20
	HH131V150030	1505	730	1470	30	1027	556	668	362	21,4	4,5	1,20
	HH131V150034	1505	826	1470	34	1164	631	757	410	24,3	5,1	1,20
	HH131V150038	1505	922	1470	38	1301	705			27,2	5,6	1,20
	HH131V150044	1505	1066	1470	44	1506	816			31,4	6,5	1,20
	HH131V150050	1505	1210	1470	50	1711	927			35,7	7,4	1,20
1800 altezza height hauteur altura	HH131V180007	1805	178	1770	7	285	154	191	103	5,9	1,2	1,20
	HH131V180010	1805	250	1770	10	407	220	264	143	8,4	1,7	1,20
	HH131V180012	1805	298	1770	12	488	264	317	172	10,1	2,1	1,20
	HH131V180014	1805	346	1770	14	569	308	370	200	11,8	2,4	1,20
	HH131V180016	1805	394	1770	16	650	352	423	229	13,5	2,8	1,20
	HH131V180018	1805	442	1770	18	731	396	475	258	15,2	3,1	1,20
	HH131V180020	1805	490	1770	20	813	440	528	286	16,8	3,4	1,20
	HH131V180022	1805	538	1770	22	894	484	581	315	18,5	3,8	1,20
	HH131V180024	1805	586	1770	24	975	528	634	343	20,2	4,1	1,20
	HH131V180026	1805	634	1770	26	1056	572	686	372	21,9	4,5	1,20
	HH131V180028	1805	682	1770	28	1137	616	739	400	23,6	4,8	1,20
	HH131V180030	1805	730	1770	30	1218	660	792	429	25,3	5,2	1,20
	HH131V180034	1805	826	1770	34	1381	748	897	486	28,6	5,9	1,20
	HH131V180038	1805	922	1770	38	1543	836			32,0	6,5	1,20
	HH131V180044	1805	1066	1770	44	1786	968			37,0	7,6	1,20
	HH131V180050	1805	1210	1770	50	2030	1100			42,1	8,6	1,20
2000 altezza height hauteur altura	HH131V200007	2005	178	1970	7	315	171	211	115	6,5	1,3	1,20
	HH131V200010	2005	250	1970	10	449	243	292	158	9,3	1,9	1,20
	HH131V200012	2005	298	1970	12	539	292	350	190	11,1	2,3	1,20
	HH131V200014	2005	346	1970	14	629	341	409	221	13,0	2,6	1,20
	HH131V200016	2005	394	1970	16	718	389	467	253	14,8	3,0	1,20
	HH131V200018	2005	442	1970	18	808	438	525	284	16,7	3,4	1,20
	HH131V200020	2005	490	1970	20	898	486	583	316	18,5	3,8	1,20
	HH131V200022	2005	538	1970	22	987	535	642	348	20,4	4,1	1,20
	HH131V200024	2005	586	1970	24	1077	583	700	379	22,2	4,5	1,20
	HH131V200026	2005	634	1970	26	1166	632	758	411	24,1	4,9	1,20
	HH131V200028	2005	682	1970	28	1256	680	816	442	26,0	5,3	1,20
	HH131V200030	2005	730	1970	30	1346	729	875	474	27,8	5,6	1,20
	HH131V200034	2005	826	1970	34	1525	826	991	537	31,5	6,4	1,20
	HH131V200038	2005	922	1970	38	1704	923			35,2	7,1	1,20
	HH131V200044	2005	1066	1970	44	1973	1069			40,8	8,3	1,20
	HH131V200050	2005	1210	1970	50	2242	1215			46,3	9,4	1,20

Hegoline13 vertical
double

						White & Colors		Chrome & Galvanics				
	Ref.	A mm	B mm	C mm	Elem. n.	Δt = 50° W	Δt = 30° W	Δt = 50° W	Δt = 30° W	Weight kg	Cap. lt	Esp. "n"
400 altezza height hauteur altura	HH132V040020	405	490	370	20	388	210			8,3	1,9	1,20
	HH132V040022	405	538	370	22	427	231			9,2	2,1	1,20
	HH132V040024	405	586	370	24	465	252			10,0	2,2	1,20
	HH132V040026	405	634	370	26	504	273			10,8	2,4	1,20
	HH132V040028	405	682	370	28	543	294			11,7	2,6	1,20
	HH132V040030	405	730	370	30	581	315			12,5	2,8	1,20
	HH132V040034	405	826	370	34	659	357			14,2	3,2	1,20
	HH132V040038	405	922	370	38	736	399			15,8	3,6	1,20
	HH132V040044	405	1066	370	44	852	462			18,3	4,1	1,20
	HH132V040050	405	1210	370	50	968	524			20,9	4,7	1,20
500 altezza height hauteur altura	HH132V050016	505	394	470	18	378	205			8,0	1,8	1,20
	HH132V050018	505	442	470	20	426	231			9,0	2,0	1,20
	HH132V050020	505	490	470	22	473	256			10,0	2,2	1,20
	HH132V050022	505	538	470	24	520	282			11,0	2,4	1,20
	HH132V050024	505	586	470	26	567	307			12,0	2,6	1,20
	HH132V050026	505	634	470	28	614	333			13,1	2,8	1,20
	HH132V050028	505	682	470	30	661	358			14,1	3,1	1,20
	HH132V050030	505	730	470	34	709	384			15,1	3,3	1,20
	HH132V050034	505	826	470	38	803	435			17,1	3,7	1,20
	HH132V050038	505	922	470	44	897	486			19,1	4,2	1,20
	HH132V050044	505	1066	470	50	1039	563			22,1	4,8	1,20
600 altezza height hauteur altura	HH132V060012	605	298	570	16	335	181			7,0	1,5	1,20
	HH132V060014	605	346	570	18	391	212			8,2	1,8	1,20
	HH132V060016	605	394	570	20	446	242			9,4	2,0	1,20
	HH132V060018	605	442	570	22	502	272			10,6	2,3	1,20
	HH132V060020	605	490	570	24	558	302			11,7	2,5	1,20
	HH132V060022	605	538	570	26	613	332			12,9	2,8	1,20
	HH132V060024	605	586	570	28	669	362			14,1	3,0	1,20
	HH132V060026	605	634	570	30	725	393			15,3	3,3	1,20
	HH132V060028	605	682	570	34	780	423			16,4	3,5	1,20
	HH132V060030	605	730	570	38	836	453			17,6	3,8	1,20
	HH132V060034	605	826	570	44	947	513			20,0	4,3	1,20
	HH132V060038	605	922	570	50	1059	574			22,3	4,8	1,20
800 altezza height hauteur altura	HH132V080010	805	250	770	10	364	197			7,6	1,6	1,20
	HH132V080012	805	298	770	12	437	237			9,1	1,9	1,20
	HH132V080014	805	346	770	14	510	276			10,6	2,2	1,20
	HH132V080016	805	394	770	16	582	315			12,1	2,5	1,20
	HH132V080018	805	442	770	18	655	355			13,6	2,8	1,20
	HH132V080020	805	490	770	20	728	394			15,1	3,1	1,20
	HH132V080022	805	538	770	22	800	434			16,7	3,4	1,20
	HH132V080024	805	586	770	24	873	473			18,2	3,8	1,20
	HH132V080026	805	634	770	26	946	512			19,7	4,1	1,20
	HH132V080028	805	682	770	28	1018	552			21,2	4,4	1,20
	HH132V080030	805	730	770	30	1091	591			22,7	4,7	1,20
	HH132V080034	805	826	770	34	1236	670			25,7	5,3	1,20
	HH132V080038	805	922	770	38	1382	748			28,8	5,9	1,20
	HH132V080044	805	1066	770	44	1600	867			33,3	6,9	1,20
	HH132V080050	805	1210	770	50	1818	985			37,9	7,8	1,20
1200 altezza height hauteur altura	HH132V120007	1205	178	1170	7	374	103			7,7	1,5	1,20
	HH132V120010	1205	250	1170	10	534	289			11,0	2,2	1,20
	HH132V120012	1205	298	1170	12	641	347			13,2	2,6	1,20
	HH132V120014	1205	346	1170	14	747	405			15,4	3,1	1,20
	HH132V120016	1205	394	1170	16	854	463			17,6	3,5	1,20
	HH132V120018	1205	442	1170	18	961	520			19,7	3,9	1,20
	HH132V120020	1205	490	1170	20	1067	578			21,9	4,4	1,20
	HH132V120022	1205	538	1170	22	1174	636			24,1	4,8	1,20
	HH132V120024	1205	586	1170	24	1281	694			26,3	5,3	1,20
	HH132V120026	1205	634	1170	26	1387	752			28,5	5,7	1,20
	HH132V120028	1205	682	1170	28	1494	809			30,7	6,1	1,20
	HH132V120030	1205	730	1170	30	1601	867			32,9	6,6	1,20
	HH132V120034	1205	826	1170	34	1814	983			37,3	7,5	1,20
	HH132V120038	1205	922	1170	38	2027	1098			41,7	8,3	1,20
	HH132V120044	1205	1066	1170	44	2347	1272			48,3	9,6	1,20
	HH132V120050	1205	1210	1170	50	2667	1445			54,9	11,0	1,20

Hegoline13 vertical
double

	Ref.	A mm	B mm	C mm	Elem. n.	White & Colors Δt = 50° W	White & Colors Δt = 30° W	Chrome & Galvanics Δt = 50° W	Chrome & Galvanics Δt = 30° W	Weight kg	Cap. lt	Esp. "n"
1500 altezza height hauteur altura	HH132V150007	1505	178	1470	7	463	251			9,5	1,9	1,20
	HH132V150010	1505	250	1470	10	662	358			13,5	2,7	1,20
	HH132V150012	1505	298	1470	12	794	430			16,2	3,2	1,20
	HH132V150014	1505	346	1470	14	926	502			18,9	3,7	1,20
	HH132V150016	1505	394	1470	16	1058	573			21,6	4,3	1,20
	HH132V150018	1505	442	1470	18	1190	645			24,3	4,8	1,20
	HH132V150020	1505	490	1470	20	1322	716			27,0	5,3	1,20
	HH132V150022	1505	538	1470	22	1454	788			29,7	5,9	1,20
	HH132V150024	1505	586	1470	24	1587	859			32,4	6,4	1,20
	HH132V150026	1505	634	1470	26	1719	931			35,2	6,9	1,20
	HH132V150028	1505	682	1470	28	1851	1003			37,9	7,5	1,20
	HH132V150030	1505	730	1470	30	1983	1074			40,6	8,0	1,20
	HH132V150034	1505	826	1470	34	2247	1217			46,0	9,1	1,20
	HH132V150038	1505	922	1470	38	2511	1361			51,4	10,1	1,20
	HH132V150044	1505	1066	1470	44	2908	1575			59,5	11,7	1,20
	HH132V150050	1505	1210	1470	50	3304	1790			67,6	13,3	1,20
1800 altezza height hauteur altura	HH132V180007	1805	178	1770	7	553	299			11,2	2,2	1,20
	HH132V180010	1805	250	1770	10	789	427			16,1	3,1	1,20
	HH132V180012	1805	298	1770	12	947	513			19,3	3,8	1,20
	HH132V180014	1805	346	1770	14	1104	598			22,5	4,4	1,20
	HH132V180016	1805	394	1770	16	1262	684			25,7	5,0	1,20
	HH132V180018	1805	442	1770	18	1419	769			28,9	5,6	1,20
	HH132V180020	1805	490	1770	20	1577	854			32,1	6,3	1,20
	HH132V180022	1805	538	1770	22	1735	940			35,4	6,9	1,20
	HH132V180024	1805	586	1770	24	1892	1025			38,6	7,5	1,20
	HH132V180026	1805	634	1770	26	2050	1111			41,8	8,2	1,20
	HH132V180028	1805	682	1770	28	2208	1196			45,0	8,8	1,20
	HH132V180030	1805	730	1770	30	2365	1281			48,2	9,4	1,20
	HH132V180034	1805	826	1770	34	2680	1452			54,6	10,7	1,20
	HH132V180038	1805	922	1770	38	2996	1623			61,1	11,9	1,20
	HH132V180044	1805	1066	1770	44	3468	1879			70,7	13,8	1,20
	HH132V180050	1805	1210	1770	50	3941	2135			80,3	15,7	1,20
2000 altezza height hauteur altura	HH132V200007	2005	178	1970	7	612	332			12,4	2,4	1,20
	HH132V200010	2005	250	1970	10	874	473			17,8	3,4	1,20
	HH132V200012	2005	298	1970	12	1049	568			21,3	4,1	1,20
	HH132V200014	2005	346	1970	14	1223	663			24,9	4,8	1,20
	HH132V200016	2005	394	1970	16	1398	757			28,4	5,5	1,20
	HH132V200018	2005	442	1970	18	1572	852			32,0	6,2	1,20
	HH132V200020	2005	490	1970	20	1747	946			35,5	6,9	1,20
	HH132V200022	2005	538	1970	22	1922	1041			39,1	7,6	1,20
	HH132V200024	2005	586	1970	24	2096	1136			42,6	8,3	1,20
	HH132V200026	2005	634	1970	26	2271	1230			46,2	9,0	1,20
	HH132V200028	2005	682	1970	28	2445	1325			49,8	9,7	1,20
	HH132V200030	2005	730	1970	30	2620	1419			53,3	10,3	1,20
	HH132V200034	2005	826	1970	34	2969	1609			60,4	11,7	1,20
	HH132V200038	2005	922	1970	38	3318	1798			67,5	13,1	1,20
	HH132V200044	2005	1066	1970	44	3842	2081			78,2	15,2	1,20
	HH132V200050	2005	1210	1970	50	4366	2365			88,8	17,2	1,20

Hegoline13 orizzontale

single and double

Single

WALL FASTENING SYSTEMS
Fissaggi a parete
Systèmes d'installation murale
Sistemas de fijación a la pared



RADIATOR BODY DIMENSIONS
Dimensioni corpo
Dimensions du corps chauffant
Dimensiones del cuerpo calefactor



A = altezza; B = larghezza; C = interasse
A = height; B = width; C = interaxis
A = hauteur; B = largeur; C = entraxe
A = altura; B = ancho; C = entre ejes

[mm]



Double

WALL FASTENING SYSTEMS
Fissaggi a parete
Systèmes d'installation murale
Sistemas de fijación a la pared



RADIATOR BODY DIMENSIONS
Dimensioni corpo
Dimensions du corps chauffant
Dimensiones del cuerpo calefactor



A = altezza; B = larghezza; C = interasse
A = height; B = width; C = interaxis
A = hauteur; B = largeur; C = entraxe
A = altura; B = ancho; C = entre ejes

[mm]



STANDARD CONFIGURATIONS, WITHOUT SURCHARGE
Configurazioni allacciamenti inclusi
Configuration standard, sans supplement
Conexiones estándar, sin recargo



SPECIAL CONFIGURATIONS AVAILABLE UPON REQUEST AT THE ORDER, WITH SURCHARGE
Configurazioni allacciamenti con sovrapprezzo
Configurations spéciales disponibles à la demande à la commande, avec supplement
Versiones especiales disponibles a la pregunta de pedido, con recargo



Su richiesta all'ordine specificando la mandata (dx o sx) - Specify the input (right or left) - Spécifier la réntrée (droite ou gauche) - Especificar la entrada (derecha o izquierda)

TECHNICAL NOTES

Temperatura max di esercizio: 90 °C
Maximum operating temperature: 90 °C
Température maximum de fonctionnement: 90 °C
Temperatura máx de funcionamento: 90 °C

Pressione max di esercizio: 500 kPa
Maximum operating pressure: 500 kPa
Pression maximum de fonctionnement: 500 kPa
Presión máx de funcionamento: 500 kPa

CE

Per impianto monotubo consultare note tecniche di dettaglio pag. 159
For single pipe installation, please consult technical notes page 161
Pour installation monotube consulter les renseignements techniques détaillés pag. 163
Para instalaciones monotubo consulte las informaciones técnicas detalladas pag. 165

Hegoline13 orizzontale

single

	Ref.	B mm	A mm	C mm	Elem. n.	White & Colors Δt = 50° W	White & Colors Δt = 30° W	Chrome & Galvanics Δt = 50° W	Chrome & Galvanics Δt = 30° W	Weight kg	Cap. lt	Esp. "n"
400 larghezza width largeur anchura	HH131H040024	405	586	370	24	261	142	170	92	5,9	1,5	1,20
	HH131H040026	405	634	370	26	283	153	184	100	6,4	1,6	1,20
	HH131H040028	405	682	370	28	305	165	198	107	6,9	1,7	1,20
	HH131H040030	405	730	370	30	326	177	212	115	7,4	1,9	1,20
	HH131H040034	405	826	370	34	370	200	240	130	8,4	2,1	1,20
	HH131H040038	405	922	370	38	413	224	269	145	9,4	2,4	1,20
	HH131H040044	405	1066	370	44	478	259	311	168	10,9	2,7	1,20
	HH131H040050	405	1210	370	50	543	294	353	191	12,4	3,1	1,20
500 larghezza width largeur anchura	HH131H050020	505	490	470	20	260	141	169	92	23,4	5,2	1,20
	HH131H050022	505	538	470	22	286	155	186	101	25,9	5,8	1,20
	HH131H050024	505	586	470	24	312	169	203	110	28,4	6,4	1,20
	HH131H050026	505	634	470	26	338	183	220	119	30,9	6,9	1,20
	HH131H050028	505	682	470	28	364	197	237	128	6,0	1,3	1,20
	HH131H050030	505	730	470	30	390	211	254	137	7,0	1,5	1,20
	HH131H050034	505	826	470	34	442	239	287	156	8,0	1,8	1,20
	HH131H050038	505	922	470	38	494	268	321	174	9,0	2,0	1,20
	HH131H050044	505	1066	470	44	572	310	372	201	10,0	2,2	1,20
	HH131H050050	505	1210	470	50	650	352	422	229	11,0	2,4	1,20
600 larghezza width largeur anchura	HH131H060018	605	442	570	18	273	148	177	96	6,0	1,4	1,20
	HH131H060020	605	490	570	20	303	164	197	107	6,6	1,6	1,20
	HH131H060022	605	538	570	22	333	180	216	117	7,3	1,7	1,20
	HH131H060024	605	586	570	24	363	197	236	128	8,0	1,9	1,20
	HH131H060026	605	634	570	26	393	213	256	139	8,6	2,0	1,20
	HH131H060028	605	682	570	28	424	229	275	149	9,3	2,2	1,20
	HH131H060030	605	730	570	30	454	246	295	160	10,0	2,3	1,20
	HH131H060034	605	826	570	34	514	279	334	181	11,3	2,7	1,20
	HH131H060038	605	922	570	38	575	311	373	202	12,6	3,0	1,20
	HH131H060044	605	1066	570	44	665	360	432	234	14,6	3,4	1,20
	HH131H060050	605	1210	570	50	756	409	491	266	16,6	3,9	1,20
800 larghezza width largeur anchura	HH131H080014	805	346	770	14	272	147	177	96	5,8	1,3	1,20
	HH131H080016	805	394	770	16	310	168	202	109	6,7	1,5	1,20
	HH131H080018	805	442	770	18	349	189	227	123	7,5	1,7	1,20
	HH131H080020	805	490	770	20	388	210	252	137	8,3	1,9	1,20
	HH131H080022	805	538	770	22	427	231	277	150	9,2	2,1	1,20
	HH131H080024	805	586	770	24	465	252	302	164	10,0	2,2	1,20
	HH131H080026	805	634	770	26	504	273	328	177	10,8	2,4	1,20
	HH131H080028	805	682	770	28	543	294	353	191	11,7	2,6	1,20
	HH131H080030	805	730	770	30	581	315	378	205	12,5	2,8	1,20
	HH131H080034	805	826	770	34	659	357	428	232	14,2	3,2	1,20
	HH131H080038	805	922	770	38	736	399	478	259	15,8	3,6	1,20
	HH131H080044	805	1066	770	44	852	462	554	300	18,3	4,1	1,20
	HH131H080050	805	1210	770	50	968	524	629	341	20,9	4,7	1,20
1200 larghezza width largeur anchura	HH131H120010	1205	250	1170	10	279	151	182	98	5,9	1,3	1,20
	HH131H120012	1205	298	1170	12	335	181	218	118	7,0	1,5	1,20
	HH131H120014	1205	346	1170	14	391	212	254	138	8,2	1,8	1,20
	HH131H120016	1205	394	1170	16	446	242	290	157	9,4	2,0	1,20
	HH131H120018	1205	442	1170	18	502	272	326	177	10,6	2,3	1,20
	HH131H120020	1205	490	1170	20	558	302	363	196	11,7	2,5	1,20
	HH131H120022	1205	538	1170	22	613	332	399	216	12,9	2,8	1,20
	HH131H120024	1205	586	1170	24	669	362	435	236	14,1	3,0	1,20
	HH131H120026	1205	634	1170	26	725	393	471	255	15,3	3,3	1,20
	HH131H120028	1205	682	1170	28	780	423	507	275	16,4	3,5	1,20
	HH131H120030	1205	730	1170	30	836	453	543	294	17,6	3,8	1,20
	HH131H120034	1205	826	1170	34	947	513	616	334	20,0	4,3	1,20
	HH131H120038	1205	922	1170	38	1059	574			22,3	4,8	1,20
	HH131H120044	1205	1066	1170	44	1226	664			25,8	5,5	1,20
	HH131H120050	1205	1210	1170	50	1393	755			29,4	6,3	1,20

Hegoline13 orizzontale

single

	Ref.	B mm	A mm	C mm	Elem. n.	White & Colors Δt = 50° W	White & Colors Δt = 30° W	Chrome & Galvanics Δt = 50° W	Chrome & Galvanics Δt = 30° W	Weight kg	Cap. lt	Esp. "n"
1500 larghezza width largeur anchura	HH131H150007	1505	178	1470	7	240	130	161	87	5,0	1,0	1,20
	HH131H150010	1505	250	1470	10	343	186	223	121	7,1	1,5	1,20
	HH131H150012	1505	298	1470	12	411	223	267	145	8,6	1,8	1,20
	HH131H150014	1505	346	1470	14	480	260	312	169	10,0	2,1	1,20
	HH131H150016	1505	394	1470	16	548	297	356	193	11,4	2,4	1,20
	HH131H150018	1505	442	1470	18	617	334	401	217	12,9	2,7	1,20
	HH131H150020	1505	490	1470	20	685	371	445	241	14,3	3,0	1,20
	HH131H150022	1505	538	1470	22	754	408	490	265	15,7	3,3	1,20
	HH131H150024	1505	586	1470	24	822	445	534	289	17,1	3,6	1,20
	HH131H150026	1505	634	1470	26	890	482	579	314	18,6	3,9	1,20
	HH131H150028	1505	682	1470	28	959	519	623	338	20,0	4,2	1,20
	HH131H150030	1505	730	1470	30	1027	556	668	362	21,4	4,5	1,20
	HH131H150034	1505	826	1470	34	1164	631	757	410	24,3	5,1	1,20
	HH131H150038	1505	922	1470	38	1301	705			27,2	5,6	1,20
	HH131H150044	1505	1066	1470	44	1506	816			31,4	6,5	1,20
	HH131H150050	1505	1210	1470	50	1711	927			35,7	7,4	1,20
1800 larghezza width largeur anchura	HH131H180007	1805	178	1770	7	285	154	191	103	5,9	1,2	1,20
	HH131H180010	1805	250	1770	10	407	220	264	143	8,4	1,7	1,20
	HH131H180012	1805	298	1770	12	488	264	317	172	10,1	2,1	1,20
	HH131H180014	1805	346	1770	14	569	308	370	200	11,8	2,4	1,20
	HH131H180016	1805	394	1770	16	650	352	423	229	13,5	2,8	1,20
	HH131H180018	1805	442	1770	18	731	396	475	258	15,2	3,1	1,20
	HH131H180020	1805	490	1770	20	813	440	528	286	16,8	3,4	1,20
	HH131H180022	1805	538	1770	22	894	484	581	315	18,5	3,8	1,20
	HH131H180024	1805	586	1770	24	975	528	634	343	20,2	4,1	1,20
	HH131H180026	1805	634	1770	26	1056	572	686	372	21,9	4,5	1,20
	HH131H180028	1805	682	1770	28	1137	616	739	400	23,6	4,8	1,20
	HH131H180030	1805	730	1770	30	1218	660	792	429	25,3	5,2	1,20
	HH131H180034	1805	826	1770	34	1381	748	897	486	28,6	5,9	1,20
	HH131H180038	1805	922	1770	38	1543	836			32,0	6,5	1,20
	HH131H180044	1805	1066	1770	44	1786	968			37,0	7,6	1,20
	HH131H180050	1805	1210	1770	50	2030	1100			42,1	8,6	1,20
2000 larghezza width largeur anchura	HH131H200007	2005	178	1970	7	315	171	211	115	6,5	1,3	1,20
	HH131H200010	2005	250	1970	10	449	243	292	158	9,3	1,9	1,20
	HH131H200012	2005	298	1970	12	539	292	350	190	11,1	2,3	1,20
	HH131H200014	2005	346	1970	14	629	341	409	221	13,0	2,6	1,20
	HH131H200016	2005	394	1970	16	718	389	467	253	14,8	3,0	1,20
	HH131H200018	2005	442	1970	18	808	438	525	284	16,7	3,4	1,20
	HH131H200020	2005	490	1970	20	898	486	583	316	18,5	3,8	1,20
	HH131H200022	2005	538	1970	22	987	535	642	348	20,4	4,1	1,20
	HH131H200024	2005	586	1970	24	1077	583	700	379	22,2	4,5	1,20
	HH131H200026	2005	634	1970	26	1166	632	758	411	24,1	4,9	1,20
	HH131H200028	2005	682	1970	28	1256	680	816	442	26,0	5,3	1,20
	HH131H200030	2005	730	1970	30	1346	729	875	474	27,8	5,6	1,20
	HH131H200034	2005	826	1970	34	1525	826	991	537	31,5	6,4	1,20
	HH131H200038	2005	922	1970	38	1704	923			35,2	7,1	1,20
	HH131H200044	2005	1066	1970	44	1973	1069			40,8	8,3	1,20
	HH131H200050	2005	1210	1970	50	2242	1215			46,3	9,4	1,20

Hegoline13 orizzontale
double

	Ref.	B mm	A mm	C mm	Elem. n.	White & Colors Δt = 50° W	White & Colors Δt = 30° W	Chrome & Galvanics Δt = 50° W	Chrome & Galvanics Δt = 30° W	Weight kg	Cap. lt	Esp. "n"
400 larghezza width largeur anchura	HH132H040020	405	490	370	20	388	210			8,3	1,9	1,20
	HH132H040022	405	538	370	22	427	231			9,2	2,1	1,20
	HH132H040024	405	586	370	24	465	252			10,0	2,2	1,20
	HH132H040026	405	634	370	26	504	273			10,8	2,4	1,20
	HH132H040028	405	682	370	28	543	294			11,7	2,6	1,20
	HH132H040030	405	730	370	30	581	315			12,5	2,8	1,20
	HH132H040034	405	826	370	34	659	357			14,2	3,2	1,20
	HH132H040038	405	922	370	38	736	399			15,8	3,6	1,20
	HH132H040044	405	1066	370	44	852	462			18,3	4,1	1,20
	HH132H040050	405	1210	370	50	968	524			20,9	4,7	1,20
500 larghezza width largeur anchura	HH132H050016	505	394	470	18	378	205			8,0	1,8	1,20
	HH132H050018	505	442	470	20	426	231			9,0	2,0	1,20
	HH132H050020	505	490	470	22	473	256			10,0	2,2	1,20
	HH132H050022	505	538	470	24	520	282			11,0	2,4	1,20
	HH132H050024	505	586	470	26	567	307			12,0	2,6	1,20
	HH132H050026	505	634	470	28	614	333			13,1	2,8	1,20
	HH132H050028	505	682	470	30	661	358			14,1	3,1	1,20
	HH132H050030	505	730	470	34	709	384			15,1	3,3	1,20
	HH132H050034	505	826	470	38	803	435			17,1	3,7	1,20
	HH132H050038	505	922	470	44	897	486			19,1	4,2	1,20
	HH132H050044	505	1066	470	50	1039	563			22,1	4,8	1,20
600 larghezza width largeur anchura	HH132H060012	605	298	570	16	335	181			7,0	1,5	1,20
	HH132H060014	605	346	570	18	391	212			8,2	1,8	1,20
	HH132H060016	605	394	570	20	446	242			9,4	2,0	1,20
	HH132H060018	605	442	570	22	502	272			10,6	2,3	1,20
	HH132H060020	605	490	570	24	558	302			11,7	2,5	1,20
	HH132H060022	605	538	570	26	613	332			12,9	2,8	1,20
	HH132H060024	605	586	570	28	669	362			14,1	3,0	1,20
	HH132H060026	605	634	570	30	725	393			15,3	3,3	1,20
	HH132H060028	605	682	570	34	780	423			16,4	3,5	1,20
	HH132H060030	605	730	570	38	836	453			17,6	3,8	1,20
	HH132H060034	605	826	570	44	947	513			20,0	4,3	1,20
	HH132H060038	605	922	570	50	1059	574			22,3	4,8	1,20
800 larghezza width largeur anchura	HH132H080010	805	250	770	10	364	197			7,6	1,6	1,20
	HH132H080012	805	298	770	12	437	237			9,1	1,9	1,20
	HH132H080014	805	346	770	14	510	276			10,6	2,2	1,20
	HH132H080016	805	394	770	16	582	315			12,1	2,5	1,20
	HH132H080018	805	442	770	18	655	355			13,6	2,8	1,20
	HH132H080020	805	490	770	20	728	394			15,1	3,1	1,20
	HH132H080022	805	538	770	22	800	434			16,7	3,4	1,20
	HH132H080024	805	586	770	24	873	473			18,2	3,8	1,20
	HH132H080026	805	634	770	26	946	512			19,7	4,1	1,20
	HH132H080028	805	682	770	28	1018	552			21,2	4,4	1,20
	HH132H080030	805	730	770	30	1091	591			22,7	4,7	1,20
	HH132H080034	805	826	770	34	1236	670			25,7	5,3	1,20
	HH132H080038	805	922	770	38	1382	748			28,8	5,9	1,20
	HH132H080044	805	1066	770	44	1600	867			33,3	6,9	1,20
	HH132H080050	805	1210	770	50	1818	985			37,9	7,8	1,20
1200 larghezza width largeur anchura	HH132H120007	1205	178	1170	7	374	103			7,7	1,5	1,20
	HH132H120010	1205	250	1170	10	534	289			11,0	2,2	1,20
	HH132H120012	1205	298	1170	12	641	347			13,2	2,6	1,20
	HH132H120014	1205	346	1170	14	747	405			15,4	3,1	1,20
	HH132H120016	1205	394	1170	16	854	463			17,6	3,5	1,20
	HH132H120018	1205	442	1170	18	961	520			19,7	3,9	1,20
	HH132H120020	1205	490	1170	20	1067	578			21,9	4,4	1,20
	HH132H120022	1205	538	1170	22	1174	636			24,1	4,8	1,20
	HH132H120024	1205	586	1170	24	1281	694			26,3	5,3	1,20
	HH132H120026	1205	634	1170	26	1387	752			28,5	5,7	1,20
	HH132H120028	1205	682	1170	28	1494	809			30,7	6,1	1,20
	HH132H120030	1205	730	1170	30	1601	867			32,9	6,6	1,20
	HH132H120034	1205	826	1170	34	1814	983			37,3	7,5	1,20
	HH132H120038	1205	922	1170	38	2027	1098			41,7	8,3	1,20
	HH132H120044	1205	1066	1170	44	2347	1272			48,3	9,6	1,20
	HH132H120050	1205	1210	1170	50	2667	1445			54,9	11,0	1,20

Hegoline13 orizzontale
double

	Ref.	B mm	A mm	C mm	Elem. n.	White & Colors Δt = 50° W	White & Colors Δt = 30° W	Chrome & Galvanics Δt = 50° W	Chrome & Galvanics Δt = 30° W	Weight kg	Cap. lt	Esp. "n"
1500 larghezza width largeur anchura	HH132H150007	1505	178	1470	7	463	251			9,5	1,9	1,20
	HH132H150010	1505	250	1470	10	662	358			13,5	2,7	1,20
	HH132H150012	1505	298	1470	12	794	430			16,2	3,2	1,20
	HH132H150014	1505	346	1470	14	926	502			18,9	3,7	1,20
	HH132H150016	1505	394	1470	16	1058	573			21,6	4,3	1,20
	HH132H150018	1505	442	1470	18	1190	645			24,3	4,8	1,20
	HH132H150020	1505	490	1470	20	1322	716			27,0	5,3	1,20
	HH132H150022	1505	538	1470	22	1454	788			29,7	5,9	1,20
	HH132H150024	1505	586	1470	24	1587	859			32,4	6,4	1,20
	HH132H150026	1505	634	1470	26	1719	931			35,2	6,9	1,20
	HH132H150028	1505	682	1470	28	1851	1003			37,9	7,5	1,20
	HH132H150030	1505	730	1470	30	1983	1074			40,6	8,0	1,20
	HH132H150034	1505	826	1470	34	2247	1217			46,0	9,1	1,20
	HH132H150038	1505	922	1470	38	2511	1361			51,4	10,1	1,20
	HH132H150044	1505	1066	1470	44	2908	1575			59,5	11,7	1,20
	HH132H150050	1505	1210	1470	50	3304	1790			67,6	13,3	1,20
1800 larghezza width largeur anchura	HH132H180007	1805	178	1770	7	553	299			11,2	2,2	1,20
	HH132H180010	1805	250	1770	10	789	427			16,1	3,1	1,20
	HH132H180012	1805	298	1770	12	947	513			19,3	3,8	1,20
	HH132H180014	1805	346	1770	14	1104	598			22,5	4,4	1,20
	HH132H180016	1805	394	1770	16	1262	684			25,7	5,0	1,20
	HH132H180018	1805	442	1770	18	1419	769			28,9	5,6	1,20
	HH132H180020	1805	490	1770	20	1577	854			32,1	6,3	1,20
	HH132H180022	1805	538	1770	22	1735	940			35,4	6,9	1,20
	HH132H180024	1805	586	1770	24	1892	1025			38,6	7,5	1,20
	HH132H180026	1805	634	1770	26	2050	1111			41,8	8,2	1,20
	HH132H180028	1805	682	1770	28	2208	1196			45,0	8,8	1,20
	HH132H180030	1805	730	1770	30	2365	1281			48,2	9,4	1,20
	HH132H180034	1805	826	1770	34	2680	1452			54,6	10,7	1,20
	HH132H180038	1805	922	1770	38	2996	1623			61,1	11,9	1,20
	HH132H180044	1805	1066	1770	44	3468	1879			70,7	13,8	1,20
	HH132H180050	1805	1210	1770	50	3941	2135			80,3	15,7	1,20
2000 larghezza width largeur anchura	HH132H200007	2005	178	1970	7	612	332			12,4	2,4	1,20
	HH132H200010	2005	250	1970	10	874	473			17,8	3,4	1,20
	HH132H200012	2005	298	1970	12	1049	568			21,3	4,1	1,20
	HH132H200014	2005	346	1970	14	1223	663			24,9	4,8	1,20
	HH132H200016	2005	394	1970	16	1398	757			28,4	5,5	1,20
	HH132H200018	2005	442	1970	18	1572	852			32,0	6,2	1,20
	HH132H200020	2005	490	1970	20	1747	946			35,5	6,9	1,20
	HH132H200022	2005	538	1970	22	1922	1041			39,1	7,6	1,20
	HH132H200024	2005	586	1970	24	2096	1136			42,6	8,3	1,20
	HH132H200026	2005	634	1970	26	2271	1230			46,2	9,0	1,20
	HH132H200028	2005	682	1970	28	2445	1325			49,8	9,7	1,20
	HH132H200030	2005	730	1970	30	2620	1419			53,3	10,3	1,20
	HH132H200034	2005	826	1970	34	2969	1609			60,4	11,7	1,20
	HH132H200038	2005	922	1970	38	3318	1798			67,5	13,1	1,20
	HH132H200044	2005	1066	1970	44	3842	2081			78,2	15,2	1,20
	HH132H200050	2005	1210	1970	50	4366	2365			88,8	17,2	1,20

DELTACALOR

Company profile

Quality made in Italy

The company was founded in the mid-nineties with a traditional handicraft steel towel rail production. In 2002 the company was transformed into a real industrial reality, following the acquisition of an important group in view of the plumbing and heating sector led by CEO Giovanni Pastorino who decides to revive the company renewing its product range with new ranges of hydraulic, mixed and electrical steel towel warmers and radiators with exclusive technology and design. Deltacalor is strongly characterized by a 360° approach that incorporates technology, practicality and aesthetics. The constant Research and Development on materials, shapes, finishes and processes leads the company to the launch of major patented products, tangible evidence of real and concrete innovations.
Not only the heating elements, but also expression of an innate attitude in the search of the best way to provide comfort and well-being at the service of man. High functionality, energy saving, easy installation, high quality are, in fact, the advantages of a production able to meet and anticipate the needs of designers, architects, installers and end users.





DELTACALOR

Company profile

Production takes place in Italy

Production takes place in Italy, in the state of the art plant of Calolziocorte (LC), on a surface of approximately 10,000 sqm. We use the most innovative and advanced production methods: from welding to painting, to a well established quality control system based on the highest market standards. Production know-how is one of Deltacalor strengths: the company can produce a high number of parts using highly automated systems, but is also capable of meeting the different degrees of customisations that the market requires. All this, with the utmost attention to process control, ensured by a team of experienced professionals.
Deltacalor takes advantage of a young and dynamic workforce of 50 employees, capable of meeting all the needs of our customers, and ready to take on the challenges of the market. This is the winning combination of the company that always ensures precise and timely service.



White
Standard
Deltacalor white

Chrome

Pastels
Coarse or Matt

- 9016 Traffic white
- 1013 Oyster white
- 1019 Grey beige
- 7006 Beige grey
- 7030 Stone grey
- 7047 Telegrey 4
- 7040 Window grey
- 7043 Traffic grey B
- 9005 Jet black

Specials
Coarse

- 7048 Pearl mouse grey
- 2 Quartz sand
- 6 Quartz gray

by Andrea Castrignano

- 10 Army
- 11 Petrol
- 12 Laguna
- 13 Balena
- 14 Rouille

Plate Lux
(Inox Steel Cover)

- Flowered
- Gold mirror
- Black mirror
- Copper mirror

Galvanics
Glossy or Matt

- British Gold
- Bronze Copper
- Astana Brass

colors

Non considerare i colori perfettamente fedeli per limiti di stampa e illuminazione.

Do not consider colors as exactly trustable because of printing and light limits.

Ne pas considérer les couleurs comme exactement correspondants suite à limites de imprimerie et de lumière.

No tenir en consideracion los colores como perfectamente igual para limitaciones de imprenta y de luz.