

new line



new line



new line






new line

Υψος A	Κέντρα C	ΑΠΟΔΟΣΕΙΣ (kcal/h για ΔΤ60)				
		NL 2	NL 3	NL 4	NL 5	NL 6
600	530	48,2	65,4	87,2	104,3	126,3
670	600	53,3	72,2	96,6	115,3	139,9
685	615	54,4	73,7	87,9	117,7	142,8
750	680	59,1	80,1	107,5	127,9	155,2
870	800	67,8	91,9	123,7	146,7	176,6
885	815	68,9	93,4	125,8	149,0	180,9
900	830	70,0	94,8	127,8	151,4	183,8
1.500	1.430	114,4	155,2	208,9	245,5	297,0
1.800	1.730	137,3	186,6	249,7	293,4	353,6
2.000	1.930	153,0	208,2	277,1	325,6	391,3

ΔΙΑΣΤΑΣΕΙΣ

Μήκος σώματος (L) = αριθμός στοιχείων x 46mm + 26mm



ΥΠΟΛΟΓΙΣΜΟΣ ΣΤΗΡΙΓΜΑΤΩΝ


Υψος < 685mm: 2 στηρίγματα μέχρι τα 18 στοιχεία +1 στήριγμα ανά 8 επόμενα στοιχεία.

Υψος από 750 έως 1500mm: 2 στηρίγματα μέχρι τα 8 στοιχεία + 1 στήριγμα ανά 4 επόμενα στοιχεία.

Υψος > 1800mm: 2 στηρίγματα μέχρι τα 5 στοιχεία +1 στήριγμα ανά 3 επόμενα στοιχεία.

Κάθε σετ περιλαμβάνει 2 στηρίγματα

ΣΥΝΔΕΣΕΙΣ



* Η σύνδεση C4 έχει επιβάρυνση στην τιμή του σώματος.




DELTACALOR

Company profile

Quality made in Italy

The company was founded in the mid-nineties with a traditional handicraft steel towel rail production. In 2002 the company was transformed into a real industrial reality, following the acquisition of an important group in view of the plumbing and heating sector led by CEO Giovanni Pastorino who decides to revive the company renewing its product range with new ranges of hydraulic, mixed and electrical steel towel warmers and radiators with exclusive technology and design. Deltacalor is strongly characterized by a 360° approach that incorporates technology, practicality and aesthetics. The constant Research and Development on materials, shapes, finishes and processes leads the company to the launch of major patented products, tangible evidence of real and concrete innovations.

Not only the heating elements, but also expression of an innate attitude in the search of the best way to provide comfort and well-being at the service of man. High functionality, energy saving, easy installation, high quality are, in fact, the advantages of a production able to meet and anticipate the needs of designers, architects, installers and end users.






DELTACALOR

Company profile

Production takes place in Italy

Production takes place in Italy, in the state of the art plant of CalolzioCorte (LC), on a surface of approximately 10,000 sqm. We use the most innovative and advanced production methods: from welding to painting, to a well established quality control system based on the highest market standards. Production know-how is one of Deltacalor strengths: the company can produce a high number of parts using highly automated systems, but is also capable of meeting the different degrees of customisations that the market requires. All this, with the utmost attention to process control, ensured by a team of experienced professionals.

Deltacalor takes advantage of a young and dynamic workforce of 50 employees, capable of meeting all the needs of our customers, and ready to take on the challenges of the market. This is the winning combination of the company that always ensures precise and timely service.



color chart

9016
Traffic white



PASTELS

COARSE

GLOSSY

MATT

9010

Pure white



1013

Oyster white



1015

Light ivory



1019

Grey beige



7006

Beige grey



7030

Stone grey



7047

Telegrey 4



7040

Window grey



7043

Traffic grey B



8019

Grey brown



9005

Jet black



colors

Non considerare i colori perfettamente fedeli per limiti di stampa e illuminazione.

Do not consider colors as exactly trustable because of printing and light limits.

Die Farben sind wegen licht und druckbeschräkungen nicht genau zu betrachten.

Ne pas considérer les couleurs comme exactement correspondants suite à limites de imprimerie et de lumière.

No tener en consideración los colores como perfectamente igual para limitaciones de impresión y de luz.