

# boxes





# boxes



# boxes





# technical data

## boxes


Ref.	A	B	C	White & Colors		Weight	Cap.
				$\Delta t=50^{\circ}\text{C}$	$\Delta t=30^{\circ}\text{C}$		
				W	W		
BX170050	1700	550	450	587	318	55,0	8,3

**1700**  
3 shelves  
fächer  
étagères  
estantería

$$\text{kcal/h} = 0,86 \times \text{Watt}$$


### Wall fastening systems

Befestigungssysteme an der Wand  
Systèmes d'installation murale  
Sistemas de fijación a la pared




### Radiator body dimensions

Größe des Heizkörpers  
Dimensions du corps chauffant  
Dimensiones del cuerpo calefactor



Measures in mm: A=height B=width C=interaxis  
Abmessungen in mm: A=Höhe B=Breite C=Achsabstand  
Mesures en mm: A=hauteur B=largeur C=entraxe  
Medidas en mm: A=altura B=ancho C=entre eje



## technical notes

Maximum operating temperature: 90 °C  
Max. Betriebstemperatur: 90° C  
Température maximum de fonctionnement: 90 °C  
Temperatura máx de funcionamiento: 90 °C

Not available for single-pipe system  
Für das Einrohrsystem nicht verfügbar  
Non disponible pour installation mono-tube  
No está disponible para instalación monotubo

Maximum operating pressure: 400 kPa  
Max. Betriebsdruck: 400 kPa  
Pression maximum de fonctionnement: 400 kPa  
Presión máx de funcionamiento: 400 kPa

Please consult technical notes on Page 323  
Lesen Sie die technischen Daten auf Seite 325  
Consulter renseignements techniques détaillés à la Pag.327  
Consulte las informaciones técnicas detalladas Pag.329








DELTACALOR

# Company profile

## Quality made in Italy

The company was founded in the mid-nineties with a traditional handcraft steel towel rail production. In 2002 the company was transformed into a real industrial reality, following the acquisition of an important group in view of the plumbing and heating sector led by CEO Giovanni Pastorino who decides to revive the company renewing its product range with new ranges of hydraulic, mixed and electrical steel towel warmers and radiators with exclusive technology and design. Deltacalor is strongly characterized by a 360° approach that incorporates technology, practicality and aesthetics. The constant Research and Development on materials, shapes, finishes and processes leads the company to the launch of major patented products, tangible evidence of real and concrete innovations. Not only the heating elements, but also expression of an innate attitude in the search of the best way to provide comfort and well-being at the service of man. High functionality, energy saving, easy installation, high quality are, in fact, the advantages of a production able to meet and anticipate the needs of designers, architects, installers and end users.







DELTACALOR

# Company profile

## Production takes place in Italy

Production takes place in Italy, in the state of the art plant of Calolziocorte (LC), on a surface of approximately 10,000 sqm. We use the most innovative and advanced production methods: from welding to painting, to a well established quality control system based on the highest market standards. Production know-how is one of Deltacalor strengths: the company can produce a high number of parts using highly automated systems, but is also capable of meeting the different degrees of customisations that the market requires. All this, with the utmost attention to process control, ensured by a team of experienced professionals.

Deltacalor takes advantage of a young and dynamic workforce of 50 employees, capable of meeting all the needs of our customers, and ready to take on the challenges of the market. This is the winning combination of the company that always ensures precise and timely service.



# color chart

9010  
Pure white



Chrome



## PASTELS

COARSE



GLOSSY

MATT




9016  
Traffic white



1013  
Oyster white



1015  
Light ivory



1019  
Grey beige




7006  
Beige grey




7030  
Stone grey



7047  
Telegrey 4



7040  
Window grey




7043  
Traffic grey B



8019  
Grey brown



9005  
Jet black



## colors

Non considerare i colori perfettamente fedeli per limiti di stampa e illuminazione.

Do not consider colors as exactly trustable because of printing and light limits.

Die Farben sind wegen licht und druckbeschränkungen nicht genau zu betrachten.

Ne pas considérer les couleurs comme exactement correspondants suite à limites de imprimerie et de lumière.

No tenir en consideracion los colores como perfectamente igual para limitaciones de imprenta y de luz.

## SPECIALS

COARSE


GLOSSY

MATT


9006  
White aluminium



9007  
Grey aluminium



7048  
Pearl mouse grey



1  
Quartz cream



2  
Quartz sand



3  
Quartz stone



4  
Quartz sugar paper



5  
Corten steel



6  
Quartz gray



7  
Quartz black

