

Koala electric



Koala electric



Koala electric

IT

Koala, il nuovo scaldasalviette di design compatto e multiuso. Disponibile solo elettrico, Koala, grazie alle dimensioni ridotte, è di facilissimo posizionamento in ogni bagno, anche i più piccoli, potendo posizionarsi comodamente sopra bidet. Grazie alla sua conformazione può essere utilizzato non solo come semplice scaldasalviette, ma anche per riporre in modo ordinato teli da bagno o accappatoi garantendone asciugatura e riscaldamento; infine grazie al diffusore d'aromi (incluso) e alle mensole porta oggetti (acquistabili separatamente) diventa un accessorio d'arredo multiuso e salvaspazio. Con Koala lo spazio non ha confini.

EN

Koala, the new compact and multipurpose towel warmer. Available in an electric version only, Koala's compact size makes it easy to fit into any bathroom, even the smallest ones, fitting comfortably over a bidet. Its shape makes it suitable not only as a simple towel warmer, but also for neatly storing towels or bathrobes, ensuring they are both warm and dry. Finally, thanks to the aroma diffuser (included) and storage shelves (available separately), it becomes a multipurpose and space-saving furnishing accessory. With Koala, space is limitless.

FR

Koala, le nouveau sèche-serviettes compact et multifonctionnel. Disponible uniquement en version électrique, son format compact lui permet de s'intégrer facilement dans toutes les salles de bains, même les plus petites, et de se placer aisément au-dessus d'un bidet. Sa forme en fait un accessoire idéal non seulement pour sécher les serviettes, mais aussi pour ranger soigneusement serviettes et peignoirs, les gardant chauds et secs. Enfin, grâce au diffuseur d'arômes (inclus) et aux étagères de rangement (vendues séparément), il devient un accessoire de décoration polyvalent et peu encombrant. Avec Koala, l'espace est optimisé.

ES

Koala, el nuevo toallero eléctrico compacto y multifuncional. Disponible únicamente en versión eléctrica, su tamaño compacto permite colocarlo fácilmente en cualquier baño, incluso en los más pequeños, y encaja perfectamente sobre un bidé. Su forma lo hace ideal no solo como toallero, sino también para guardar toallas o albornoces de forma ordenada, manteniéndolos calientes y secos. Además, gracias al difusor de aromas (incluido) y a las bandejas de almacenamiento (disponibles por separado), se convierte en un accesorio multifuncional que ahorra espacio. Con Koala, el espacio es ilimitado.





Koala



Incluso l'esclusivo diffusore di fragranze, elegante e salvaspazio

Included the exclusive, elegant and space-saving fragrance diffuser

Inclus le diffuseur de parfum exclusif, élégant et peu encombrant

Incluido el exclusivo difusor de fragancias, elegante y que ahorra espacio



Possibilità di integrazione con mensole porta oggetti multiuso

Possibility of integration with multipurpose shelves organizer

Possibilité d'intégration avec des étagères porte-objets multifonctions

Posibilidad de integración con estanterías portaobjetos multifuncionales



Il cronotermostato digitale ad infrarossi è da acquistare separatamente, codice articolo ACS.EL.007029
The digital infrared chronothermostat must be purchased separately, item code ACS.EL.007029
Le chronothermostat numérique à infrarouge doit être acheté séparément, référence ACS.EL.007029
El cronotermostato digital por infrarrojos se debe adquirir por separado, código de artículo ACS.EL.007029




Koala

Dati tecnici

Ref.	A mm	B mm	Elem. n.	White & Colors	Chrome & Galvanics	Peso kg
				Potenza W	Potenza W	
KL070050	686	500	3	300		9,7


FISSAGGI A PARETE

Wall fastening systems
Systèmes d'installation murale
Sistemas de fijación a la pared



DIMENSIONI CORPO

Radiator body dimensions
Dimensions du corps chauffant
Dimensiones del cuerpo calefactor



COMANDO ON/OFF A INFRAROSSO

Infrared On/Off Control
Commande marche/arrêt infrarouge
Control de encendido/apagado por infrarrojos



Class I
IP45



DIFFUSORE D'AROMI

Scent diffuser - Diffuseur d'arômes
Difusor de aroma



A = altezza; B = larghezza
A = height; B = width
A = hauteur; B = largeur
A = altura; B = ancho

[mm]



NOTE TECNICHE

Lunghezza cavo 0,5 mt dotato di Europlug
Cable length 0,5 mt with Europlug
Longueur du câble 0,5 m avec Europlug
Longitud del cable 0,5 mt con Europlug

Alimentazione 230V - 50Hz
230V - 50Hz power supply
Alimentation 230V - 50Hz
Alimentación 230V - 50Hz

Necessità di collegamento a cronotermostato remoto Ecodesign
Requirement for connection to Ecodesign remote chronothermostat
Nécessité d'une connexion à un thermostat programmable à distance Ecodesign
Necesidad de conexión a un termostato cronológico remoto Ecodesign





Koala

A mm	B mm	White	Colors: Pastels coarse Pastels matt	Colors: Pastels glossy Special coarse	Chrome	Galvanics
		Cod.	Cod.	Cod.	Cod.	Cod.
686	500	KL070050TB	KL070050TR	KL070050TS		

ACCESSORIO "ECODESIGN"

"Ecodesign" accessory - Accessoire "Ecodesign" - Accesorio "Ecodesign"



Cronotermistato digitale ad infrarossi
 Digital infrared chronothermostat
 Chronothermostat numérique à infrarouge
 Cronotermistato digital por infrarrojos



Cod.
ACS.EL.007029

Raccomandato in caso di funzionamento autonomo entro CE
 Recommandé en cas de fonctionnement autonome dans CE
 Recommended for independent functioning in CE
 Recomendado para funcionamiento autónomo en CE

ACCESSORI


Accessories - Accessoires - Accesorios

Mensola Porta Oggetti
 Shelf organizer - Étagère porte-objets
 Estante portaobjetos



White	Colors: pastels	Colors: specials
Cod.	Cod.	Cod.
KLMS020B	KLMS020R	KLMS020R

Kit copertura cavo elettrico
 Electrical cable cover kit
 Kit de protection pour câble électrique
 Kit de cobertura del hilo eléctrico



White	Chrome	Colors	Brushed silver	Special galvanics
Cod.	Cod.	Cod.	Cod.	Cod.
AICPRF01B	AICPRF01C	AICPRF01S	AICPRF01Y	AICPRF01H

OPTIONAL SENZA SOVRAPPREZZO

Optional without surcharge
 Option sans supplément
 Extras sin recargo

Resistenza semplice con filo in classe I per collegamento con cronotermistato remoto
 Simple resistance with class I wire for connection to remote chronothermostat
 Résistance simple avec fil de classe I pour raccordement à un chronothermostat à distance
 Resistencia simple con cable de clase I para conexión con termostato cronológico remoto



Class I
IP55

Nel codice sostituire il carattere "T" con "E"
 In the code replace the character "T" with "E"
 Dans le code, remplacez le caractère "T" par "E"
 En el código, remplazar el carácter "T" por "E"

OPTIONAL CON SOVRAPPREZZO

Optional with surcharge
 Option avec supplément
 Extras con recargo

Termistato bianco wi-fi con spina

White wi-fi thermostat with plug
 Thermostat wi-fi blanc avec prise
 Termostato wi-fi blanco con enchufe



Class I
IP55

Nel codice sostituire il carattere "E" con "WF"
 In the code replace the character "E" with "WF"
 Dans le code, remplacer le caractère "E" par "WF"
 En el código, remplazar el carácter "E" por "WF"



App: Domus One



works with the Google Assistant

WORKS WITH amazon alexa

NOTE COMMERCIALI


I prezzi comprendono: diffusore d'aromi e kit di fissaggio in tinta - termostato bianco per le versioni "White", in tinta per le versioni "Colors"
 Prices include: scent diffuser and matching fixing kit - white thermostat for the "White", colour-coordinated for the "Colours" versions
 Les prix comprennent: diffuseur d'arômes et kit de fixation assorti - thermostat blanc pour les versions "White", assorti aux couleurs pour les versions "Colors"
 Los precios incluyen: difusor de aroma y kit de fijación a juego - termostato blanco para las versiones "White", a juego para las versiones "Colors"

Possibili personalizzazioni con supplemento: colori Ral a scelta
 Customization available with surcharge: Ral colours at choice
 Personnalisations disponibles avec supplément: couleurs Ral au choix
 Personalizaciones disponibles con recargo: colores Ral para elección

Funzione bassa potenza: funzionamento al 50% della potenza massima
 Low power function: operating at 50 % of maximum power
 Fonction basse puissance: fonctionnement à 50% de la puissance maximale
 Función baja potencia: funcionamiento al 50% de la potencia máxima

White

Standard
Deltacolor white



Pastels

Coarse or Matt


9016

Traffic white



1013

Oyster white



1019

Grey beige




7006

Beige grey



7030

Stone grey



7047

Telegrey 4



7040

Window grey



7043

Traffic grey B




9005

Jet black




Specials

Coarse



7048

Pearl mouse grey



2

Quartz sand



6

Quartz gray

by
Andrea Castiglione



10

Army



11

Petrol



12

Laguna



13

Balena



14

Rouille

colors

Non considerare i colori perfettamente fedeli per limiti di stampa e illuminazione.

Do not consider colors as exactly trustable because of printing and light limits.

Ne pas considérer les couleurs comme exactement correspondants suite à limites de imprimerie et de lumière.

No tenir en consideracion los colores como perfectamente igual para limitaciones de imprenta y de luz.



DELTACALOR

Company profile

Quality made in Italy

The company was founded in the mid-nineties with a traditional handcraft steel towel rail production. In 2002 the company was transformed into a real industrial reality, following the acquisition of an important group in view of the plumbing and heating sector led by CEO Giovanni Pastorino who decides to revive the company renewing its product range with new ranges of hydraulic, mixed and electrical steel towel warmers and radiators with exclusive technology and design. Deltacalor is strongly characterized by a 360° approach that incorporates technology, practicality and aesthetics. The constant Research and Development on materials, shapes, finishes and processes leads the company to the launch of major patented products, tangible evidence of real and concrete innovations. Not only the heating elements, but also expression of an innate attitude in the search of the best way to provide comfort and well-being at the service of man. High functionality, energy saving, easy installation, high quality are, in fact, the advantages of a production able to meet and anticipate the needs of designers, architects, installers and end users.





DELTACALOR

Company profile

Production takes place in Italy

Production takes place in Italy, in the state of the art plant of Calolziocorte (LC), on a surface of approximately 10,000 sqm. We use the most innovative and advanced production methods: from welding to painting, to a well established quality control system based on the highest market standards. Production know-how is one of Deltacalor strengths: the company can produce a high number of parts using highly automated systems, but is also capable of meeting the different degrees of customisations that the market requires. All this, with the utmost attention to process control, ensured by a team of experienced professionals.

Deltacalor takes advantage of a young and dynamic workforce of 50 employees, capable of meeting all the needs of our customers, and ready to take on the challenges of the market. This is the winning combination of the company that always ensures precise and timely service.

